

AMENDMENT TO THE CLAIMS

Please **AMEND** claims 1 and 8.

A copy of all pending claims and a status of each claim is provided below.

1. (Currently amended) A computerized method for generating a recommendation of an item to an advisee, comprising the steps of:
 - receiving a recommendation request comprising a selected item list from an advisee for a recommendation by a recommendation system;
 - in response to the recommendation request, computing a plurality of similarity factors based on:
 - at least one advisee profile from at least one newly rated item and determining which at least one user has already rated the item, wherein the advisee profile ~~comprising~~ comprises a plurality of records, each record including a user identifier, an item identifier, and a rating value, such that each record is linked in a first and a second dimension; and
 - items from the selected item list that indicate similarity between the advisee and a plurality of users of the recommendation system who have previously provided ratings of items from the selected item list;
 - selecting, from the plurality of users of the recommendation system, neighboring users to the advisee, according to the similarity factors;
 - generating a recommendation of at least one item of the selected item list, according to the previously provided ratings of the at least one item by the neighboring users.
2. (Previously Presented) The method of claim 1; wherein all items upon which the step of computing depends are included in the selected item list.
3. (Original) The method of claim 2, wherein the recommendation of at least one item includes only items that are included in the selected item list.

4. (Original) The method of claim 1, wherein the step of selecting neighboring users excludes, any user whose similarity with the advisee is below a predetermined threshold.

5. (Previously Presented) The method of claim 1, wherein the step of computing and the step of selecting are executed substantially in parallel by inserting each newly computed similarity factor into a neighbor list in decreasing order of similarity and by limiting length of the neighbor list by excluding a user with lowest similarity if otherwise the neighbor list would exceed a predetermined length.

6. (Original) The method of claim 1, further including the step of caching identifiers of the neighboring users, associated similarity factors, and time stamps.

7. (Original) A user profile for a recommendation system, comprising a plurality of records, each record including a user identifier, an item identifier, and a rating value, wherein each record is linked in a first and a second dimension, the first dimension linking records with a same user identifier in a sequence according to the item identifier, and the second dimension linking records with a same item identifier in a sequence according to the user identifier.

8. (Currently amended) A computerized method for generating a recommendation of an item to an advisee, comprising the steps of:

receiving a recommendation request comprising a selected item list from an advisee for the recommendation by a recommendation system;

in response to the recommendation request, computing a plurality of similarity factors based on at least one advisee profile from at least one newly rated item and determining which at least one user has already rated the item;

selecting a first set of users from a group of users of the recommendation system based on the selected item list;

selecting neighboring users from the first set of users based on similarities between the advisee and each member of the first set of users; and

generating a recommendation of at least one item from the selected item list based on ratings provided by each neighboring user.

9. (Previously Presented) The computerized method of claim 8, wherein the similarities are determined from an advisee profile and user profiles, and the advisee and user profiles are based on advise and user behavior including at least one of buying pattern, item ratings, bookmarked websites, website usage pattern, and user action relative to a particular item.

10. (Previously Presented) The computerized method of claim 9, wherein an advisee profile or a user profile is updated when a new piece of information is added thereto.

11. (Previously Presented) The computerized method of claim 8, further comprising assigning a confidence factor to each advisee profile and each user profile, wherein the confidence factor is based on the combined effect of selected pieces of information recorded in a user or advisee profile.

12. (Previously Presented) The computerized method of claim 8, further including determining similarities between the advisee and each member of the first set of users after receiving a selected item list from the advisee.

13. (Previously Presented) The computerized method of claim 8, wherein a member of the first set of users is selected as a neighboring user if the similarity between the advisee and the member of the first set of users is better than a predetermined threshold.

14. (Previously Presented) The computerized method of claim 8, further comprising assigning a weight to each neighboring user where the weight is greater for a neighboring user have greater similarity to the advisee and the weight is lower for a neighboring user having a lower similarity to the advisee.